

CERTIFICATE OF COMPLIANCE

Certificate Number E362479
Report Reference E362479-20200410
Issue Date 2021-FEBRUARY-26

Issued to: JINKO SOLAR CO LTD
NO 1 JINKO RD
SHANGRAO ECONOMIC
DEVELOPMENT ZONE
SHANGRAO JIANGXI 334100 CN

**This certificate confirms that
representative samples of**

PHOTOVOLTAIC MODULES AND PANELS WITH
SYSTEM VOLTAGE RATINGS OVER 600 VOLTS
Refer to addendum page for models

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 61730-1 - Standard for Safety for Photovoltaic (PV)
Module Safety Qualification - Part 1: Requirements for
Construction.
UL 61730-2 - Standard for Safety for Photovoltaic (PV)
Module Safety Qualification - Part 2: Requirements for
Testing.


Additional Information:

See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E362479
Report Reference E362479-20200410
Issue Date 2021-FEBRUARY-26

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Photovoltaic (Solar) Modules,

The maximum system voltage of below module series is 1500V.

144 cells module:

JKM395M-72HL-V-Q, JKM400M-72HL-V-Q, JKM405M-72HL-V-Q, JKM410M-72HL-V-Q, JKM415M-72HL-V-Q, JKM420M-72HL-V-Q

JKM395M-72HL-V, JKM400M-72HL-V, JKM405M-72HL-V, JKM410M-72HL-V, JKM415M-72HL-V, JKM420M-72HL-V.

JKM495M-7TL4-V, JKM500M-7TL4-V, JKM505M-7TL4-V, JKM510M-7TL4-V, JKM515M-7TL4-V, JKM520M-7TL4-V, JKM525M-7TL4-V, JKM530M-7TL4-V, JKM535M-7TL4-V, JKM540M-7TL4-V.

JKM500M-72HL4-V, JKM505M-72HL4-V, JKM510M-72HL4-V, JKM515M-72HL4-V, JKM520M-72HL4-V, JKM525M-72HL4-V, JKM530M-72HL4-V, JKM535M-72HL4-V, JKM540M-72HL4-V, JKM545M-72HL4-V, JKM550M-72HL4-V, JKM555M-72HL4-V

JKM510M-72HL4-B-V, JKM515M-72HL4-B-V, JKM520M-72HL4-B-V, JKM525M-72HL4-B-V, JKM530M-72HL4-B-V, JKM535M-72HL4-B-V.

120 cells module:

JKM330M-60HL-V-Q, JKM335M-60HL-V-Q, JKM340M-60HL-V-Q, JKM345M-60HL-V-Q, JKM350M-60HL-V-Q


JKM330M-60HL-V, JKM335M-60HL-V, JKM340M-60HL-V, JKM345M-60HL-V, JKM350M-60HL-V

JKM330M-6TL3-V, JKM335M-6TL3-V, JKM340M-6TL3-V, JKM345M-6TL3-V, JKM350M-6TL3-V, JKM355M-6TL3-V, JKM360M-6TL3-V, JKM365M-6TL3-V.

JKM415M-6TL4-V, JKM420M-6TL4-V, JKM425M-6TL4-V, JKM430M-6TL4-V, JKM435M-6TL4-V, JKM440M-6TL4-V, JKM445M-6TL4-V, JKM450M-6TL4-V.

JKM420M-60HL4-V, JKM425M-60HL4-V, JKM430M-60HL4-V, JKM435M-60HL4-V, JKM440M-60HL4-V, JKM445M-60HL4-V, JKM450M-60HL4-V, JKM455M-60HL4-V, JKM460M-60HL4-V.

JKM425M-60HL4-B-V, JKM430M-60HL4-B-V, JKM435M-60HL4-B-V, JKM440M-60HL4-B-V, JKM445M-60HL4-B-V.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E362479
Report Reference E362479-20200410
Issue Date 2021-FEBRUARY-26

156 cells module:

JKM405M-78H-V, JKM410M-78H-V, JKM415M-78H-V, JKM420M-78H-V, JKM425M-78H-V,
JKM430M-78H-V, JKM435M-78H-V, JKM440M-78H-V, JKM445M-78H-V, JKM450M-78H-V,
JKM455M-78H-V, JKM460M-78H-V, JKM465M-78H-V..

JKM405M-78H-V-Q, JKM410M-78H-V-Q, JKM415M-78H-V-Q, JKM420M-78H-V-Q, JKM425M-78H-V-
Q, JKM430M-78H-V-Q, JKM435M-78H-V-Q, JKM440M-78H-V-Q.

JKM430M-7RL3-V, JKM435M-7RL3-V, JKM440M-7RL3-V, JKM445M-7RL3-V, JKM450M-7RL3-V,
JKM455M-7RL3-V, JKM460M-7RL3-V, JKM465M-7RL3-V, JKM470M-7RL3-V, JKM475M-7RL3-V.

JKM535M-7RL4-V, JKM540M-7RL4-V, JKM545M-7RL4-V, JKM550M-7RL4-V, JKM555M-7RL4-V,
JKM560M-7RL4-V, JKM565M-7RL4-V, JKM570M-7RL4-V, JKM575M-7RL4-V, JKM580M-7RL4-V,
JKM585M-7RL4-V, JKM590M-7RL4-V.

132 cells module:

JKM365M-6RL3-V, JKM370M-6RL3-V, JKM375M-6RL3-V, JKM380M-6RL3-V, JKM385M-6RL3-V,
JKM390M-6RL3-V, JKM395M-6RL3-V, JKM400M-6RL3-V.

JKM340M-66H-V, JKM345M-66H-V, JKM350M-66H-V, JKM355M-66H-V, JKM360M-66H-V,
JKM365M-66H-V, JKM370M-66H-V, JKM375M-66H-V, JKM380M-66H-V, JKM385M-66H-V,
JKM390M-66H-V.

JKM340M-66H-V-Q, JKM345M-66H-V-Q, JKM350M-66H-V-Q, JKM355M-66H-V-Q, JKM360M-66H-
V-Q, JKM365M-66H-V-Q, JKM370M-66H-V-Q.

JKM455M-6RL4-V, JKM460M-6RL4-V, JKM465M-6RL4-V, JKM470M-6RL4-V, JKM475M-6RL4-V,
JKM480M-6RL4-V, JKM485M-6RL4-V, JKM490M-6RL4-V, JKM495M-6RL4-V.


JKM460M-66HL4-V, JKM465M-66HL4-V, JKM470M-66HL4-V, JKM475M-66HL4-V, JKM480M-
66HL4-V, JKM485M-66HL4-V, JKM490M-66HL4-V, JKM495M-66HL4-V, JKM500M-66HL4-V,
JKM505M-66HL4-V.

JKM465M-66HL4-B-V, JKM470M-66HL4-B-V, JKM475M-66HL4-B-V, JKM480M-66HL4-B-V,
JKM485M-66HL4-B-V, JKM490M-66HL4-B-V.

108 cells module:

JKM375M-5RL4-V, JKM380M-5RL4-V, JKM385M-5RL4-V, JKM390M-5RL4-V, JKM395M-5RL4-V,
JKM400M-5RL4-V, JKM405M-5RL4-V.

JKM380M-54HL4-V, JKM385M-54HL4-V, JKM390M-54HL4-V, JKM395M-54HL4-V, JKM400M-54HL4-
V, JKM405M-54HL4-V, JKM410M-54HL4-V, JKM415M-54HL4-V.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E362479
Report Reference E362479-20200410
Issue Date 2021-FEBRUARY-26

JKM380M-54HL4-B-V, JKM385M-54HL4-B-V, JKM390M-54HL4-B-V, JKM395M-54HL4-B-V,
JKM400M-54HL4-B-V

The maximum system voltage of below module series is 1000V.

144 cells module:

JKM395M-72HL-Q, JKM400M-72HL-Q, JKM405M-72HL-Q, JKM410M-72HL-Q, JKM415M-72HL-Q,
JKM420M-72HL-Q.

JKM395M-72HL, JKM400M-72HL, JKM405M-72HL, JKM410M-72HL, JKM415M-72HL, JKM420M-
72HL.

JKM395M-72HBL, JKM400M-72HBL, JKM405M-72HBL, JKM410M-72HBL, JKM415M-72HBL,
JKM420M-72HBL.

JKM380N-72H-MBB-B, JKM385N-72H-MBB-B, JKM390N-72H-MBB-B, JKM395N-72H-MBB-B,
JKM400N-72H-MBB-B.

JKM385N-72H-MBB, JKM390N-72H-MBB, JKM395N-72H-MBB, JKM400N-72H-MBB, JKM405N-72H-
MBB, JKM410N-72H-MBB, JKM415N-72H-MBB, JKM420N-72H-MBB, JKM425N-72H-MBB.

JKM495M-7TL4, JKM500M-7TL4, JKM505M-7TL4, JKM510M-7TL4, JKM515M-7TL4, JKM520M-
7TL4, JKM525M-7TL4, JKM530M-7TL4, JKM535M-7TL4, JKM540M-7TL4.

JKM500M-72HL4, JKM505M-72HL4, JKM510M-72HL4, JKM515M-72HL4, JKM520M-72HL4,
JKM525M-72HL4, JKM530M-72HL4, JKM535M-72HL4, JKM540M-72HL4, JKM545M-72HL4,
JKM550M-72HL4, JKM555M-72HL4.

JKM510M-72HL4-B, JKM515M-72HL4-B, JKM520M-72HL4-B, JKM525M-72HL4-B, JKM530M-72HL4-
B, JKM535M-72HL4-B.


120 cells module:

JKM330M-60HL-Q, JKM335M-60HL-Q, JKM340M-60HL-Q, JKM345M-60HL-Q, JKM350M-60HL-Q.

JKM330M-60HL, JKM335M-60HL, JKM340M-60HL, JKM345M-60HL, JKM350M-60HL.

JKM330M-60HBL, JKM335M-60HBL, JKM340M-60HBL, JKM345M-60HBL, JKM350M-60HBL.

JKM330N-6TL3-B, JKM335N-6TL3-B, JKM340N-6TL3-B, JKM345N-6TL3-B, JKM350N-6TL3-B,
JKM355N-6TL3-B, JKM360N-6TL3-B, JKM365N-6TL3-B.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E362479
Report Reference E362479-20200410
Issue Date 2021-FEBRUARY-26

JKM330M-6TL3, JKM335M-6TL3, JKM340M-6TL3, JKM345M-6TL3, JKM350M-6TL3 , JKM355M-6TL3 , JKM360M-6TL3, JKM365M-6TL3 .

JKM335N-6TL3, JKM340N-6TL3, JKM345N-6TL3, JKM350N-6TL3 , JKM355N-6TL3 , JKM360N-6TL3, JKM365N-6TL3 .

JKM330M-6TL3-B, JKM335M-6TL3-B, JKM340M-6TL3-B, JKM345M-6TL3-B, JKM350M-6TL3-B, JKM355M-6TL3-B, JKM360M-6TL3-B, JKM365M-6TL3-B.

JKM320N-60H-MBB, JKM325N-60H-MBB, JKM330N-60H-MBB, JKM335N-60H-MBB, JKM340N-60H-MBB, JKM345N-60H-MBB, JKM350N-60H-MBB.

JKM315N-60H-MBB-B, JKM320N-60H-MBB-B, JKM325N-60H-MBB-B, JKM330N-60H-MBB-B.

JKM415M-6TL4 , JKM420M-6TL4 , JKM425M-6TL4 , JKM430M-6TL4 , JKM435M-6TL4 , JKM440M-6TL4 , JKM445M-6TL4 , JKM450M-6TL4.

JKM420M-60HL4, JKM425M-60HL4, JKM430M-60HL4, JKM435M-60HL4, JKM440M-60HL4, JKM445M-60HL4, JKM450M-60HL4, JKM455M-60HL4, JKM460M-60HL4.

JKM425M-60HL4-B, JKM430M-60HL4-B, JKM435M-60HL4-B, JKM440M-60HL4-B, JKM445M-60HL4-B.

156 cells module:


JKM405M-78H, JKM410M-78H, JKM415M-78H, JKM420M-78H, JKM425M-78H, JKM430M-78H, JKM435M-78H, JKM440M-78H, JKM445M-78H, JKM450M-78H, JKM455M-78H, JKM460M-78H, JKM465M-78H.

JKM405M-78H-Q, JKM410M-78H-Q, JKM415M-78H-Q, JKM420M-78H-Q, JKM425M-78H-Q, JKM430M-78H-Q, JKM435M-78H-Q, JKM440M-78H-Q.

JKM425N-7RL3-B, JKM430N-7RL3-B, JKM435N-7RL3-B, JKM440N-7RL3-B, JKM445N-7RL3-B, JKM450N-7RL3-B, JKM455N-7RL3-B, JKM460N-7RL3-B, JKM465N-7RL3-B, JKM470N-7RL3-B, JKM475N-7RL3-B, JKM480N-7RL3-B.

JKM430M-7RL3, JKM435M-7RL3, JKM440M-7RL3, JKM445M-7RL3, JKM450M-7RL3, JKM455M-7RL3 , JKM460M-7RL3 , JKM465M-7RL3 , JKM470M-7RL3 , JKM475M-7RL3.

JKM430N-7RL3, JKM435N-7RL3, JKM440N-7RL3, JKM445N-7RL3, JKM450N-7RL3, JKM455N-7RL3 , JKM460N-7RL3 , JKM465N-7RL3 , JKM470N-7RL3 , JKM475N-7RL3.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E362479
Report Reference E362479-20200410
Issue Date 2021-FEBRUARY-26

JKM405M-78HB, JKM410M-78HB, JKM415M-78HB, JKM420M-78HB, JKM425M-78HB, JKM430M-78HB, JKM435M-78HB.

JKM430M-7RL3-B, JKM435M-7RL3-B, JKM440M-7RL3-B, JKM445M-7RL3-B, JKM450M-7RL3-B, JKM455M-7RL3-B, JKM460M-7RL3-B, JKM465M-7RL3-B, JKM470M-7RL3-B, JKM475M-7RL3-B.

JKM535M-7RL4 , JKM540M-7RL4 , JKM545M-7RL4, JKM550M-7RL4, JKM555M-7RL4 , JKM560M-7RL4 , JKM565M-7RL4 , JKM570M-7RL4 , JKM575M-7RL4 , JKM580M-7RL4 , JKM585M-7RL4, JKM590M-7RL4.

132 cells module:

JKM340M-66H, JKM345M-66H , JKM350M-66H , JKM355M-66H , JKM360M-66H , JKM365M-66H , JKM370M-66H , JKM375M-66H , JKM380M-66H , JKM385M-66H , JKM390M-66H.

JKM340M-66H-Q, JKM345M-66H-Q , JKM350M-66H-Q , JKM355M-66H-Q , JKM360M-66H-Q , JKM365M-66H-Q , JKM370M-66H-Q.

JKM340M-66HB, JKM345M-66HB , JKM350M-66HB , JKM355M-66HB , JKM360M-66HB , JKM365M-66HB.

JKM365M-6RL3-B, JKM370M-6RL3-B, JKM375M-6RL3-B, JKM380M-6RL3-B, JKM385M-6RL3-B, JKM390M-6RL3-B, JKM395M-6RL3-B, JKM400M-6RL3-B.

JKM460M-66HL4, JKM465M-66HL4, JKM470M-66HL4, JKM475M-66HL4, JKM480M-66HL4, JKM485M-66HL4, JKM490M-66HL4, JKM495M-66HL4, JKM500M-66HL4, JKM505M-66HL4.

JKM360N-6RL3-B, JKM365N-6RL3-B, JKM370N-6RL3-B, JKM375N-6RL3-B, JKM380N-6RL3-B, JKM385N-6RL3-B, JKM390N-6RL3-B, JKM395N-6RL3-B, JKM400N-6RL3-B, JKM405N-6RL3-B.

JKM365M-6RL3, JKM370M-6RL3, JKM375M-6RL3, JKM380M-6RL3, JKM385M-6RL3 , JKM390M-6RL3 , JKM395M-6RL3 , JKM400M-6RL3 .

JKM365N-6RL3, JKM370N-6RL3, JKM375N-6RL3, JKM380N-6RL3, JKM385N-6RL3 , JKM390N-6RL3 , JKM395N-6RL3 , JKM400N-6RL3

JKM455M-6RL4 , JKM460M-6RL4 , JKM465M-6RL4 , JKM470M-6RL4 , JKM475M-6RL4 , JKM480M-6RL4 , JKM485M-6RL4 , JKM490M-6RL4 , JKM495M-6RL4.

JKM465M-66HL4-B, JKM470M-66HL4-B, JKM475M-66HL4-B, JKM480M-66HL4-B, JKM485M-66HL4-B, JKM490M-66HL4-B.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE


Certificate Number E362479
Report Reference E362479-20200410
Issue Date 2021-FEBRUARY-26

108 cells module:

JKM375M-5RL4, JKM380M-5RL4, JKM385M-5RL4 , JKM390M-5RL4, JKM395M-5RL4 , JKM400M-5RL4, JKM405M-5RL4.

JKM380M-54HL4, JKM385M-54HL4, JKM390M-54HL4, JKM395M-54HL4, JKM400M-54HL4, JKM405M-54HL4, JKM410M-54HL4, JKM415M-54HL4.

JKM380M-54HL4-B, JKM385M-54HL4-B, JKM390M-54HL4-B, JKM395M-54HL4-B, JKM400M-54HL4-B.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

